Certificate of Analysis

Produced: Jun 10, 2026

Sample: Willie's Remedy+ THC Infused 10mg (NATIONAL) (Edible Liquid) • **Client**: GSM/ND • **Batch**: Pass



Batch No.: NSTHN077A1
Matrix: Edible Liquid
Density: 1.0337 g/ml
Sample ID: ICC-260605-15-003
Collected on: Jun 05, 2026
Received on: Jun 05, 2026
Batch Size: 59 g
Sample Size: 4 Units
Package Size: 61.14 g
Serving Size: 61.14 g
The material submitted for testing: not created by chemical synthesis, modification or chemical conversion from another cannabinoid utilizing non-cannabis material.

Batch Result: Pass

Potency	Tested	**Microbial**	Pass
Terpenes	Tested	**Mycotoxins**	Pass
Solvents	Pass	**Pesticides**	Pass
Metals	Pass	**Foreign**	Pass

Cannabinoid Overview

Δ^9-THC:	**10.8 mg/srv**
CBD:	**2.15 mg/srv**
Total Cannabinoids:	**15.3 mg/srv**
Sum of Cannabinoids:	**15.3 mg/srv**

POT-INST-005: POT-INST-005: Potency • Jun 08, 2026

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail
CBC			ND	ND	0.00113/0.00339	N/A
CBD	2.15	2.15	0.00351	0.0363	0.000345/0.00172	N/A
CBDA			ND	ND	0.000827/0.00248	N/A
CBDV			ND	ND	0.000274/0.00172	N/A
CBG	2.20	2.20	0.00360	0.0372	0.000391/0.00172	N/A
CBGA			ND	ND	0.000610/0.00183	N/A
CBL			ND	ND	0.000270/0.00172	N/A
CBN	0.114	0.114	0.000186	0.00192	0.000391/0.00172	N/A

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail
CBT			ND	ND	0.000490/0.00172	N/A
Δ^8-THC			ND	ND	0.000277/0.00172	N/A
Δ^9-THC	10.8	10.8	0.0177	0.183	0.000458/0.00172	N/A
THCA			ND	ND	0.000628/0.00188	N/A
THCV			ND	ND	0.000212/0.00172	N/A
Total THC**	10.8	10.8	0.0177	0.183		N/A
Total CBD**	2.15	2.15	0.00351	0.0363		N/A
Total Cannabinoids**	15.3	15.3	0.0250	0.258		N/A

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)
** Total THC = (THCA x 0.877) + Delta-9-THC
** Total CBD = (CBDA x 0.877) + CBD
NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope* *Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

https://lims.tagleaf.com/coa_/CST8dhKHOh

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Jun 10, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Jun 10, 2026

TERP-INST-003, TERP-PREP-001: TERP-INST-003, TERP-PREP-001: Terpene Testing by GC-MS • Jun 08, 2026

Analyte	Amt (%)	Amt	LOD/LOQ (mg/g)	Analyte	Amt (%)	Amt	LOD/LOQ (mg/g)
Total Terpenes	ND	ND		cis-Nerolidol	ND	ND	0.00482/0.0145
(-)-β-Citronellol	ND	ND	0.00713/0.0308	Δ^3-Carene	ND	ND	0.000730/0.0157
α-Bisabolol	ND	ND	0.00345/0.0103	Eucalyptol	ND	ND	0.00369/0.0111
α-Cedrene	ND	ND	0.00213/0.00779	Fenchol	ND	ND	0.000565/0.00781
α-Humulene	ND	ND	0.000525/0.00779	Fenchone	ND	ND	0.000354/0.00780
α-Pinene	ND	ND	0.00134/0.00779	γ-Terpinene	ND	ND	0.00151/0.00782
α-Terpinene	ND	ND	0.00206/0.00779	Geraniol	ND	ND	0.00558/0.0314
α-Terpineol	ND	ND	0.000812/0.00796	Geranyl Acetate	ND	ND	0.00166/0.00779
β-Caryophyllene	ND	ND	0.0101/0.0313	Guaiol	ND	ND	0.00435/0.0131
β-Eudesmol	ND	ND	0.00259/0.00796	Isoborneol	ND	ND	0.00103/0.00780
β-Myrcene	ND	ND	0.000811/0.00790	Limonene	ND	ND	0.00496/0.0158
β-Pinene	ND	ND	0.00122/0.0157	Linalool	ND	ND	0.00151/0.00795
Borneol	ND	ND	0.00119/0.00796	Menthol	ND	ND	0.00168/0.00779
Camphene	ND	ND	0.00104/0.00779	p-Cymene	ND	ND	0.00194/0.00796
Camphor	ND	ND	0.00317/0.0157	Pulegone	ND	ND	0.00283/0.00850
Caryophyllene Oxide	ND	ND	0.00330/0.0310	Terpinolene	ND	ND	0.00107/0.00796
Cedrol	ND	ND	0.00202/0.00779	trans-Nerolidol	ND	ND	0.00291/0.00874

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Utah RS-INST-003, Utah RS-PREP-001: Utah RS-INST-003, Utah RS-PREP-001: Comprehensive Residual Solvents by GC-MS • Jun 08, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,1-Dichloroethylene	8	ND	0.0481/0.144	Pass	Ethanol	5000	1380	1.53/4.60	Pass
1,2-Dichloroethane	2	ND	0.109/0.327	Pass	Ethyl acetate	400	ND	0.321/0.962	Pass
1,2-Dimethoxyethane	100	ND	0.795/2.39	Pass	Ethylbenzene	150	ND	0.478/1.43	Pass
1,4-Dioxane	380	ND	0.835/2.50	Pass	Ethylene glycol	620	ND	0.585/1.76	Pass
1-Butanol	5000	ND	0.350/1.05	Pass	Ethylene oxide	5	ND	0.509/1.53	Pass
1-Pentanol	5000	ND	0.288/0.865	Pass	Ethyl ether	500	ND	0.357/1.07	Pass
2,2-Dimethylbutane	290	ND	0.424/1.27	Pass	Heptane	5000	ND	0.311/0.933	Pass
2,3-Dimethylbutane	290	ND	0.488/1.46	Pass	Hexane	250	ND	0.473/1.42	Pass
2-Butanol	5000	ND	5.89/17.7	Pass	Isopropyl acetate	5000	ND	1.21/3.62	Pass
2-Butanone	5000	ND	1.45/4.36	Pass	Methanol	250	ND	27.8/83.4	Pass
2-Ethoxyethanol	160	ND	0.659/1.98	Pass	Methylpropane	5000	ND	2.34/7.03	Pass
2-Methylbutane	5000	ND	0.626/1.88	Pass	N,N-Dimethylacetamide	1090	ND	2.97/8.92	Pass
2-Methylpentane	290	ND	0.302/0.905	Pass	N,N-Dimethylformamide	880	ND	0.469/1.41	Pass
2-Propanol	500	ND	0.556/1.67	Pass	Pentane	750	ND	4.33/13.0	Pass
3-Methylpentane	290	ND	0.299/0.897	Pass	Propane	5000	ND	2.04/6.11	Pass
Acetone	750	ND	7.56/22.7	Pass	Propanol	5000	ND	6.71/20.1	Pass
Acetonitrile	60	ND	6.35/19.0	Pass	Pyridine	100	ND	0.246/0.740	Pass
Benzene	1	ND	0.263/0.789	Pass	Sulfolane	160	ND	8.76/26.3	Pass
Butane	5000	ND	0.762/2.29	Pass	Tetrahydrofuran	720	ND	0.813/2.44	Pass
Chloroform	2	ND	0.180/0.542	Pass	Toluene	150	ND	0.212/0.636	Pass
Cumene	70	ND	0.277/0.829	Pass	Trichloroethylene	25	ND	3.50/10.5	Pass
Cyclohexane	3880	ND	6.51/19.5	Pass	o-Xylene	150	ND	0.147/0.439	Pass
Dichloromethane	600	ND	0.375/1.13	Pass	p- and m-Xylene	150	ND	0.0884/0.265	Pass
Dimethyl sulfoxide	5000	ND	0.870/2.61	Pass					

Compliance requirements for this test are taken from UT-FL-comprehensive Cannabis/Hemp (Based on Submission Type) regulations.

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jun 05, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	ND	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Additional Heavy Metals Testing by ICP-MS • Jun 05, 2026

Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Antimony		ND	0.00695/0.0208	N/A	Copper		ND	0.0109/0.0326	N/A
Chromium		ND	0.00926/0.0278	N/A	Nickel		ND	0.00517/0.0155	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICRO-INST-001, MICRO-PREP-001: MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (inhalable) • Jun 08, 2026

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Aspergillus flavus		ND	N/A	Aspergillus terreus		ND	N/A
Aspergillus fumigatus		ND	N/A	Salmonella spp.	Any amt in 1 gram	ND	Pass
Aspergillus niger		ND	N/A	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Jun 10, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Jun 10, 2026

https://lims.tagleaf.com/coa_/CST8dhKHOh

Petrifilm-Listeria • Jun 09, 2026

Analyte	Limit	Amt	Pass/Fail
Listeria spp.		ND	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-002: MICR-002: Petrifilm-Aerobic • Jun 09, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Aerobic Bacteria	10000	20.0	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

Petrifilm-Enterobacteriaceae • Jun 09, 2026

Analyte	Limit	Amt	Pass/Fail
Enterobacteriaceae		ND	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Petrifilm- Staphylococcus aureus • Jun 09, 2026

Analyte	Limit	Amt	Pass/Fail
Staphylococcus aureus		ND	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Petrifilm-E. Coli • Jun 10, 2026

Analyte	Limit	Amt	Pass/Fail
Escherichia coli		ND	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-002: MICR-002: Petrifilm-Coliforms • Jun 10, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Coliforms	100	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold • Jun 10, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Yeast & Mold	1000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jun 08, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.10/3.30	N/A
Aflatoxin B2		ND	0.955/2.87	N/A
Aflatoxin G1		ND	2.41/7.24	N/A
Aflatoxin G2		ND	0.747/2.55	N/A
Aflatoxins	20	ND		Pass
Ochratoxin A	20	ND	3.87/11.7	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jun 08, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass
Cypermethrin	1	ND	0.0145/0.0435	Pass
Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Jun 10, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Jun 10, 2026

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jun 08, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass
Acephate	5	ND	0.0164/0.0497	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass
Boscalid	10	ND	0.0197/0.0596	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass
Dimethoate	Any amt	ND	0.0118/0.0356	Pass
Dimethomorph	20	ND	0.0137/0.0416	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass
Flonicamid	2	ND	0.0268/0.0811	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass
Imazalil	Any amt	ND	0.0156/0.0474	Pass
Imidacloprid	3	ND	0.0235/0.0711	Pass
Kresoxim-methyl	1	ND	0.0125/0.0379	Pass
Malathion	5	ND	0.0117/0.0354	Pass
Metalaxyl	15	ND	0.0101/0.0306	Pass
Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Methomyl	0.1	ND	0.0158/0.0479	Pass
Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Myclobutanil	9	ND	0.0180/0.0546	Pass
Naled	0.5	ND	0.0170/0.0514	Pass
Oxamyl	0.2	ND	0.0153/0.0465	Pass
Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Permethrin	20	ND	0.00831/0.0300	Pass
Phosmet	0.2	ND	0.0125/0.0377	Pass
Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Prallethrin	0.4	ND	0.0226/0.0685	Pass
Propiconazole	20	ND	0.0195/0.0590	Pass
Propoxur	Any amt	ND	0.0155/0.0471	Pass
Pyrethrins	1	ND	0.00431/0.0300	Pass
Pyridaben	3	ND	0.0115/0.0350	Pass
Spinetoram	3	ND	0.00639/0.0300	Pass
Spinosad	3	ND	0.00410/0.0300	Pass
Spiromesifen	12	ND	0.0137/0.0416	Pass
Spirotetramat	13	ND	0.0134/0.0407	Pass
Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Tebuconazole	2	ND	0.0144/0.0437	Pass
Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Trifloxystrobin	30	ND	0.0102/0.0310	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Colorado Pesticides by GC-MS/MS • Jun 09, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
α-Endosulfan	0.353	ND	0.118/0.353	Pass
β-Endosulfan	0.239	ND	0.0797/0.239	Pass
Chlorfenapyr	0.0244	ND	0.00814/0.0244	Pass
Cyfluthrin	0.0384	ND	0.0128/0.0384	Pass
Cypermethrin	0.0525	ND	0.0175/0.0525	Pass
Endosulfan sulfate	0.0257	ND	0.00856/0.0257	Pass
Etridiazole	0.0441	ND	0.0147/0.0441	Pass
Fenvalerate	0.402	ND	0.134/0.402	Pass
Iprodione	0.475	ND	0.158/0.475	Pass
Kinoprene	0.221	ND	0.0738/0.221	Pass
Methyl parathion	0.0257	ND	0.00857/0.0257	Pass
MGK-264	Any amt	ND		Pass
MGK-264 I		ND	0.00152/0.00457	N/A
MGK-264 II		ND	0.00392/0.0118	N/A
Quintozene	0.016	ND	0.00533/0.0160	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Jun 10, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Jun 10, 2026

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Colorado Pesticides by LC-MS/MS • Jun 08, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.1	ND	0.0500/0.100	Pass
Acephate	0.03	ND	0.0100/0.0300	Pass
Acequinocyl	0.075	ND	0.0200/0.0750	Pass
Acetamiprid	0.03	ND	0.0100/0.0300	Pass
Aldicarb	0.03	ND	0.0100/0.0300	Pass
Allethrin	0.03	ND	0.0150/0.0300	Pass
Atrazine	0.005	ND	0.00500/0.00500	Pass
Azadirachtin	0.05	ND	0.0300/0.0500	Pass
Azoxystrobin	0.01	ND	0.00500/0.0100	Pass
Benzovindiflupyr	0.005	ND	0.00500/0.00500	Pass
Bifenazate	0.01	ND	0.00500/0.0100	Pass
Bifenthrin	0.03	ND	0.00500/0.0300	Pass
Boscalid	0.01	ND	0.00500/0.0100	Pass
Buprofezin	0.03	ND	0.0150/0.0300	Pass
Carbaryl	0.025	ND	0.0100/0.0250	Pass
Carbofuran	0.01	ND	0.00500/0.0100	Pass
Chlorantraniliprole	0.03	ND	0.0100/0.0300	Pass
Chlorpyrifos	0.075	ND	0.0100/0.0750	Pass
Clofentezine	0.01	ND	0.00500/0.0100	Pass
Clothianidin	0.01	ND	0.00500/0.0100	Pass
Coumaphos	0.01	ND	0.00500/0.0100	Pass
Cyantraniliprole	0.01	ND	0.00500/0.0100	Pass
Cyhalothrin lambda	0.05	ND	0.0300/0.0500	Pass
Cyprodinil	0.01	ND	0.00500/0.0100	Pass
Daminozide	0.075	ND	0.0500/0.0750	Pass
Δmethrin	0.05	ND	0.0250/0.0500	Pass
Diazinon	0.03	ND	0.0100/0.0300	Pass
Dichlorvos	0.05	ND	0.0200/0.0500	Pass
Dimethoate	0.01	ND	0.00500/0.0100	Pass
Dimethomorph	0.03	ND	0.0100/0.0300	Pass
Dinotefuran	0.05	ND	0.0250/0.0500	Pass
Diuron	0.01	ND	0.00500/0.0100	Pass
Dodemorph	0.02	ND	0.0100/0.0200	Pass
Ethoprophos	0.01	ND	0.00500/0.0100	Pass
Etofenprox	0.03	ND	0.0100/0.0300	Pass
Etoxazole	0.03	ND	0.0100/0.0300	Pass
Fenhexamid	0.045	ND	0.0200/0.0450	Pass
Fenoxycarb	0.01	ND	0.00500/0.0100	Pass
Fenpyroximate	0.03	ND	0.0100/0.0300	Pass
Fensulfothion	0.01	ND	0.00500/0.0100	Pass
Fenthion	0.0068	ND	0.00227/0.00680	Pass
Fipronil	0.01	ND	0.00500/0.0100	Pass
Flonicamid	0.025	ND	0.0100/0.0250	Pass
Fludioxonil	0.01	ND	0.00500/0.0100	Pass
Fluopyram	0.005	ND	0.00500/0.00500	Pass
Hexythiazox	0.03	ND	0.0100/0.0300	Pass
Imazalil	0.01	ND	0.00500/0.0100	Pass
Imidacloprid	0.01	ND	0.00500/0.0100	Pass
Kresoxim-methyl	0.03	ND	0.0100/0.0300	Pass
Malathion	0.01	ND	0.00500/0.0100	Pass
Metalaxyl	0.01	ND	0.00500/0.0100	Pass
Methiocarb	0.01	ND	0.00500/0.0100	Pass
Methomyl	0.025	ND	0.0100/0.0250	Pass
Methoprene	0.05	ND	0.0250/0.0500	Pass
Mevinphos	0.025	ND	0.0100/0.0250	Pass
Myclobutanil	0.01	ND	0.00500/0.0100	Pass
Naled	0.03	ND	0.0200/0.0300	Pass
Novaluron	0.02	ND	0.0100/0.0200	Pass
Oxamyl	0.03	ND	0.0200/0.0300	Pass
Paclobutrazol	0.01	ND	0.00500/0.0100	Pass
Permethrin	0.03	ND	0.00831/0.0300	Pass
Phenothrin	0.03	ND	0.0150/0.0300	Pass
Phosmet	0.03	ND	0.0200/0.0300	Pass
Piperonylbutoxide	0.03	ND	0.0100/0.0300	Pass
Pirimicarb	0.01	ND	0.00500/0.0100	Pass
Prallethrin	0.075	ND	0.0300/0.0750	Pass
Propiconazole	0.03	ND	0.0100/0.0300	Pass
Propoxur	0.01	ND	0.00500/0.0100	Pass
Pyraclostrobin	0.01	ND	0.00500/0.0100	Pass
Pyrethrins	0.03	ND	0.00431/0.0300	Pass
Pyridaben	0.02	ND	0.0100/0.0200	Pass
Pyriproxyfen	0.01	ND	0.00500/0.0100	Pass
Resmethrin	0.05	ND	0.0250/0.0500	Pass
Spinetoram	0.03	ND	0.00639/0.0300	Pass
Spinosad	0.03	ND	0.00410/0.0300	Pass
Spirodiclofen	0.05	ND	0.0250/0.0500	Pass
Spiromesifen	0.03	ND	0.0100/0.0300	Pass
Spirotetramat	0.01	ND	0.00500/0.0100	Pass
Spiroxamine	0.03	ND	0.0200/0.0300	Pass
Tebuconazole	0.01	ND	0.00500/0.0100	Pass
Tebufenozide	0.01	ND	0.00500/0.0100	Pass
Teflubenzuron	0.02	ND	0.0100/0.0200	Pass
Tetrachlorvinphos	0.01	ND	0.00500/0.0100	Pass
Tetramethrin	0.05	ND	0.0250/0.0500	Pass
Thiabendazole	0.01	ND	0.00500/0.0100	Pass
Thiacloprid	0.01	ND	0.00500/0.0100	Pass
Thiamethoxam	0.01	ND	0.00500/0.0100	Pass
Thiophanate-methyl	0.02	ND	0.0100/0.0200	Pass
Trifloxystrobin	0.01	ND	0.00500/0.0100	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Chlormequat by LC MS-MS • Jun 08, 2026

Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Chlormequat chloride		ND	0.00862/0.0259	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Jun 10, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Jun 10, 2026